

# SECTION A8 SERIES 2000 MALL SLIDER

## TABLE OF CONTENTS

**PRICING INFORMATION and EXAMPLES ..... 3-A8**

**SLIDER PANEL TYPES and CONFIGURATIONS ..... 4-A8**

**PANEL GLASS SIZES ..... 4-A8**

**PANEL and FRAME PRICING..... 5-A8**

**ACCESSORIES ..... 5-A8**



**THE SOLID CHOICE**

[www.usalum.com](http://www.usalum.com)



### Series 2000 Sliding Doors - Multi-track units for interior applications

Complete units are equipped with adjustable tandem steel rollers and floor track with stainless steel cap. Panels include square glass stops for 3/16" glass with factory installed glazing gaskets and anchoring shoe for fixed panels.

Horizontal muntin is recommended for panels exceeding 32 square feet. Glass not included.

**Note: When ordering specify finished opening dimensions.**

### PRICING INFORMATION

To determine the price of a Series 2000 Mall Slider use the following procedure.

#### Panel charges

1. Determine the number of fixed and sliding panels for pricing purposes, The panel width will be the overall door opening width divided by the number of panels and the panel height opening will be the door height. **Price panels as shown on page 5-A8**
2. **Add charge for horizontal muntin, as required**
3. **Add charge for locking hardware and pulls**

#### Frame width charges

4. Determine the number of head/track components that are required for all fixed and sliding panels. Head/track components run across the entire opening. **Add charge for head/track components**

#### Frame height charges

5. Determine the number and type of jambs (fixed, locking or interlocking). Locking jamb includes locking channel. Jambs height will be frame height rounded to the next larger foot. **Add charges for door jambs**

**EXAMPLE A**

Door opening: 28'-0" x 8'-0"	Surface mounted track
Panel size: 4'-8" x 8'-0" (Nominal)	3 Tracks
Type: OXXXXX	Standard hardware

Fixed panels .....	1 (@ 4'-8" x 8'-0")	SD200
Sliding panels .....	5 (@ 4'-8" x 8'-0")	SD210
Additional width .....	6 (@ 1'-0")	SD203
Locks .....	2	DM129
Cylinders .....	4	DM006
Flush fingerpulls .....	6	DM506
Head/track components.....	28'-0"	SD103
Fixed jamb .....	8'-0"	SD194
Locking jamb .....	8'-0"	SD196

**EXAMPLE B**

Door size: 12'-0"	Surface mounted track
Panel size: 4'-0" X 9'-0" (Nominal)	2 Tracks
Type: PXXO	Standard hardware

Fixed panels .....	1 (@ 4'-0" x 9'-0")	SD200
Sliding panels .....	2 (@ 4'-0" x 9'-0")	SD210
Additional Height .....	3 (@ 1'-0")	SD204
Horizontal muntins.....	3 (@ 4'-0")	DM958
Locks .....	1	DM129
Cylinders .....	2	DM006
Flush fingerpulls .....	2	DM506
Head/track components.....	16'-0"	SD102
Fixed jamb .....	9'-0"	SD194
Interlocking jamb .....	9'-0"	SD197


# SERIES 2000 MALL SLIDER




## SERIES 2000 MALL SLIDER

TYPE		PANEL WIDTH				
OX or XO		Finished opening PLUS $1\frac{1}{16}$ " (.688"), DIVIDED by 2				
XX		Finished opening PLUS $\frac{5}{16}$ " (.312"), DIVIDED by 2				
OXXO		Finished opening PLUS $3\frac{1}{2}$ " (3.5"), DIVIDED by 4				
OXXXXO (or any number of sliding panels)		Finished opening MINUS $6\frac{3}{4}$ " (6.75"), DIVIDED by number of panels, PLUS $2\frac{9}{16}$ " (2.562")				
OXO		Finished opening PLUS $\frac{15}{16}$ " (.937"), DIVIDED by 3				
OXX or XXO		Finished opening PLUS $3\frac{1}{4}$ " (3.25"), DIVIDED by 3				
OXXX (or any number of sliding panels)		Finished opening MINUS $4\frac{7}{16}$ " (4.437"), DIVIDED by number of panels, PLUS $2\frac{9}{16}$ " (2.562")				
XXX		Finished opening PLUS $2\frac{7}{8}$ " (2.875"), DIVIDED by 3				
OOO		Finished opening PLUS $3\frac{5}{8}$ " (3.625"), DIVIDED by 3				
XOOX		Finished opening PLUS $2\frac{7}{8}$ " (2.875"), DIVIDED by 4				
PX of XP		Finished opening PLUS $\frac{7}{16}$ " (.437")				
PXX OR XXP (or any number of sliding panels)		Finished opening MINUS $2\frac{1}{8}$ " (2.125"), DIVIDED by number of panels, PLUS $2\frac{9}{16}$ " (2.562")				
PXXXXP (or any number of sliding panels)		Finished opening MINUS $2\frac{1}{8}$ " (2.125"), DIVIDED by number of panels, PLUS $2\frac{9}{16}$ " (2.562")				
PANEL HEIGHT						
ALL TYPES		USING SURFACE MOUNTED TRACK		Finished opening MINUS $1\frac{3}{8}$ " (1.375")		
		USING RECESSED TRACK		Finished opening MINUS 1"		
GLASS SIZES						
$\frac{1}{4}$ " glass	WIDTH	Panel width MINUS $4\frac{7}{16}$ " (4.437")		1" glass	WIDTH	Panel width MINUS $4\frac{5}{8}$ " (4.625")
	HEIGHT	Panel height MINUS $5\frac{5}{8}$ " (5.625")			HEIGHT	Panel height MINUS $5\frac{13}{16}$ " (5.812")

NOTE: Round off panel sizes to next higher  $\frac{1}{16}$ ".  
Example: 38.343" should be ordered 38.375" ( $38\frac{3}{8}$ ")





SLIDER PANELS					
DESCRIPTION	PART NUMBER	#11 CLEAR	#22 BRONZE	#71 PAINT	
 UP TO 48" x 96"	<b>TYPE O (Fixed)</b>	<b>SD200</b>	437.00	489.00	531.00
	<b>TYPE X (Sliding)</b>	<b>SD210</b>	468.00	519.00	561.00









PANEL SIZE MODIFICATIONS					
DESCRIPTION	PART NUMBER	#11 CLEAR	#22 BRONZE	#71 PAINT	
 <b>WIDTH ADD FOR EACH 12" INCREASE</b>	<b>SD203</b>	46.00	51.00	55.00	
<b>HEIGHT ADD FOR EACH 12" INCREASE</b>	<b>SD204</b>	43.00	48.00	52.00	



Fixed panels include: (2) CS228 anchoring shoes with screws, per panel. (Furnished loose)

Sliding panels include: (2) SD203 adjustable rollers per panel. (Installed)

Door panels **do not** include flush finger pulls or locking hardware. Add lock, cylinder(s) and finger pulls. Specify panel(s) to receive.

FRAME MEMBER CHARGES					
WIDTH MEMBERS	PART NUMBER	#11 CLEAR	#22 BRONZE	#71 PAINT	
	<b>ONE SET Per Foot</b> SD101	13.00	14.00	15.00	
	<b>TWO SETS Per Foot</b> SD102	27.00	30.00	32.00	
	<b>THREE SETS Per Foot</b> SD103	38.00	41.00	44.00	
	<b>FOUR SETS Per Foot</b> SD104	50.00	55.00	59.00	
	<b>FIVE SETS Per Foot</b> SD105	62.00	68.00	73.00	
	<b>SIX SETS Per Foot</b> SD106	75.00	82.00	88.00	
HEIGHT MEMBERS	PART NUMBER	#11 CLEAR	#22 BRONZE	#71 PAINT	
 Fixed Jamb Per Foot SD194		9.00	10.00	11.00	
 Lock strike channel 6" long with end caps CS200		4.00	5.00	5.00	
 Interlocking jamb Per Foot (For pocket door) SD197		9.00	10.00	11.00	

ACCESSORIES					
DESCRIPTION	PART NUMBER	#11 CLEAR	#22 BRONZE	#71 PAINT	
	36"	<b>DM952</b>	90.00	97.00	103.00
	2" Muntin with glass stops. Installed. 42"		105.00	114.00	121.00
	48"		116.00	127.00	136.00
	Add for each 12" or fraction of increased length <b>DM953</b>	26.00	30.00	32.00	
	DH029 & DH008 Hookbolt lock and face plate, Installed. (Cylinder and strike not included) <b>DM529</b>	52.00	52.00	53.00	
	DH006 3 Pin cylinder, Installed. Includes one key. <b>DM006</b>	44.00	44.00*	44.00**	
	Flush finger pull, Installed <b>DM503</b>		15.00		
	Flush finger pull, Loose <b>CD503</b>		6.00		
	Pocket door Edge pull, Installed <b>DM505</b>	49.00	49.00	-	
	Pocket Edge pull, Loose <b>CD505</b>	33.00	33.00	-	

REPLACEMENT HARDWARE		
DESCRIPTION	PART NUMBER	NO FINISH OPTIONS
	Adjustable roller, Loose. (1/4" Diameter) <b>CS175</b>	7.00
	Floor track cap, Loose. (Stainless steel) 24'-0" length <b>CS223</b>	25.00

\* Champagne cylinder standard on bronze door. \*\* Black anodized only.

